

Jamato[®]

AZ8120G-8

2 needle 4 thread overlock machine for wide seam width

**From standard 5mm
to wider 8mm seam width.
Simply and easily convertible
with little downtime.**



ISO9001 : 2000
JQA-QM6412

2 needle 4 thread overlock machine for wide seam width

If you are looking at wider 4 thread overlock seam, YAMATO AZ8120G-8 is the right machine.

- Seam width from 5mm to 8mm is convertible by simple replacement of stitch plate and presser foot stitch tongue, without any adjustment.



- YAMATO AZ8120G-8 performs neatly tightened and highly durable finish, which is ideal for various knitwears




Specifications

MODEL	Needle	Presser Foot	Stitch Plate (mm)	Stitch Tongue (mm)	Seam Width (mm)	Stitch Density	Presser Foot Height (mm)	Presser Foot Width (mm)	Speed (rpm)	
AZ8120G-8	DC×27 2	4	2.4	5,6,7,8	1~4	Hand icon	1.0.6 - 1.3	6.0	25.7	7000

* For narrower seam width, than 5mm, including 1 needle, YAMATO AZ8020G is recommended.

New YAMATO automatic back-tacker is out now.

- Yamato automatic back-tacker is now equipped with new feature to ensure security in finished seam. As thread chain is "sewn"-not only "wrapped"-into the seam securely, the chain would not come out of the seam even after frequent washing. Such function (PAT.P) will not sacrifice the quick cycle time, while enhancing quality.



- The thread chain is kept and held under the tongue of presser foot at the end of sewing cycle, well-tightened stitches at the beginning of next sewing can be obtained. A length of thread chain to be sewn into next seam is adjustable freely to short or long by setting stitch counter. Double air-blowing system can cut a chain stitch precisely at a specific position so that you can obtain an appropriate length.




- Applicable for
AZ8020G, AZ8120G-8, AZF8020G, AZF8120G


Back-Tacker

New standard back-tacker for various knitwears is out now.


- Movable stitch plate tongue and thread tension releaser, connected with fabric detection sensor, ensure beautiful and durable seams on fabrics, and stretchable soft chain for back tacking.



- Comparing to the conventional device, BT43 clamps thread chain at closer position to needle dropping point (A) by 20mm. The feature shortens length of thread chain to be sewn and make the device applicable for shorter distance operation.



- Applicable for AZ8020G, AZ8120G-8, AZF8020G, AZF8120G

 Specification and appearance on this catalogue are subject to change without notice. For correct handling of products described on this catalog, please read instructions carefully before operation.

 **YAMATO SEWING MACHINE MFG. CO., LTD.**
YAMATO WEB SITE URL: <http://www.yamato-sewing.com>

HEAD OFFICE

4-12, 4-CHOME, NISHI-TENMA, KITA-KU, OSAKA, 530-0047, JAPAN
TEL: +81-6-6364-5621 FAX: +81-6-6364-7185
E-mail: export-dept@yamato-sewing.com

YAMATO U.S.A. INC. (Head Office) 3488 LAKEMONT BLVD, FORT MILL, SC 29715 U.S.A. Tel: +1-803-548-0334 Fax: +1-803-548-0405	YAMATO MEXICO OFFICE C/O CASA DIAZ DE MAQUINAS DE COSER, S.A. DE C.V. FRAY BERNARDO TERESA DE MIER NO. 29, COLONIA OBRERA MEXICO D.F. C.P. 066000 Tel: +52-55-8764-0090 Fax: +52-55-5578-1670	YAMATO EUROPE GmbH. HAMBURG-FREIHOFF AFRKASTRASSE 4 D-20457 HAMBURG GERMANY Fern: 2182187 YAC2 Tel: +49-40-355347-0 Fax: +49-40-354371 E-mail: sales@yamato.de	YAMATO (HONG KONG) CO., LTD. RM. 1417, TUNG YING BLDG., 100 NATHAN ROAD, KOWLOON, HONG KONG Telex: 822-58192 YAMATO HK Tel: +852-2721-0281 Fax: +852-2723-0444 E-mail: yamato@yamato-sewing.com.hk
YAMATO SINGAPORE PTE. LTD. 8 HARPER ROAD #03-01, LEOH HUAT BLDG., SINGAPORE 369574 Tel: +65-287-1935 Fax: 65-287-1026 E-mail: yamato@cyberway.com.sg	YAMATO SINGAPORE PTE. LTD. India liaison office NO.7, VALANKADU MAN ROAD, CKP LAYOUT OPP. R.K.G. COMPLEX, KAMAR NAGAR, TRIPURAHARI ROAD INDIA Sales-HP: +91-28433-60311, Service-HP: +91-88422-58554 Fax: +91-422-386-507 E-mail: yamatoexp@rediffmail.com	YAMATO SEWING MACHINE (NINGBO) CO., LTD. NO. 1M SEWING STANDARD FACTORY ZONE, WEST HENGSHAN P.O. BELLIN, NINGBO, ZHEJIANG PROVINCE, P.C. 315800 CHINA Tel: +86-574-86860405, 86870015, 86879326 Fax: +86-574-86877925 E-mail: yamato-china@yamato-sewing.com	YAMATO SEWING MACHINE MFG. CO., LTD. QINGDAO OFFICE SUNSHINE TOWER 2807, 61, XIANG GANG ROAD, QINGDAO CHINA, 266037 Tel: +86-532-5783175 Fax: +86-532-5783172